

L Number	Hits	Search Text	DB	Time stamp
-	6937	((allow\$4 permit\$4 capable) near2 (display\$4 view\$4 read\$4 )) same ((prevent\$3 restrict\$4 prohibit\$4 deny\$4 denial refus\$3 or (("not" "no") adj (allow\$3 permit\$4 permission)) ) near2 writ\$4 sav\$3 alter\$4 modify\$4 modification copy\$3 copi\$4 transmission transmit\$4) near2 (data information file document)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/25 12:53
-	1131582	(public first) with (index or value element coefficient ) snd (private secret second ) with (index or value element coefficient )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/25 13:01
-	717426	(public first) with (index or value element coefficient ) and (private secret second ) with (index or value element coefficient )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/25 13:01
-	26	(public ((first) adj key)) with (index or value element coefficient ) same (list table) same random and (private secret ((second) adj key)) with (index or value element coefficient ) same (list table) same random	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/25 13:35
-	25	input\$4 near2 ( value element random number integer) near2 (public ((first) adj key)) with (private secret ((second) adj key))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/25 13:43
-	474	input\$4 near2 ( value element random number integer) near2 (public private secret ((first) adj key)) with (private secret public ((second) adj key))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/25 13:42
-	1	((public ((first) adj key)) with (index or value element coefficient ) same (list table) same random and (private secret ((second) adj key)) with (index or value element coefficient ) same (list table) same random) and (input\$4 near2 ( value element random number integer) near2 (public ((first) adj key)) with (private secret ((second) adj key)) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/25 13:40
-	2	((public ((first) adj key)) with (index or value element coefficient ) same (list table) same random and (private secret ((second) adj key)) with (index or value element coefficient ) same (list table) same random) and (input\$4 near2 ( value element random number integer) near2 (public private secret ((first) adj key)) with (private secret public ((second) adj key)) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/25 13:40
-	1613	(input\$4 enter\$4 using use) near2 ( value element random number integer) near2 (public private secret ((first) adj key)) with (private secret public ((second) adj key))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/25 13:43
-	117	(input\$4 using use enter\$3) near2 ( value element random number integer) near2 (public ((first) adj key)) with (private secret ((second) adj key))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/25 13:44

-	121	((allow\$4 permit\$4 capable) near2 (display\$4 view\$4 read\$4 )) same ((prevent\$3 restrict\$4 prohibit\$4 deny\$4 denial refus\$3 or (("not" "no") adj (allow\$3 permit\$4 permission)) ) near2 (writ\$4 sav\$3 alter\$4 modify\$4 modification copy\$3 copi\$4 transmission transmit\$4) near2 (data information file document))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/26 19:00
-	0	((allow\$4 permit\$4 capable) near2 (display\$4 view\$4 read\$4 )) same ((prevent\$3 restrict\$4 prohibit\$4 deny\$4 denial refus\$3 or (("not" "no") adj (allow\$3 permit\$4 permission)) ) near2 (writ\$4 sav\$3 alter\$4 modify\$4 modification copy\$3 copi\$4 transmission transmit\$4) near2 (data information file document))) and ((input\$4 using use enter\$3) near2 ( value element random number integer) near2 (public ((first) adj key)) with (private secret ((second) adj key)) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/25 13:49
-	0	((allow\$4 permit\$4 capable) near2 (display\$4 view\$4 read\$4 )) same ((prevent\$3 restrict\$4 prohibit\$4 deny\$4 denial refus\$3 or (("not" "no") adj (allow\$3 permit\$4 permission)) ) near2 (writ\$4 sav\$3 alter\$4 modify\$4 modification copy\$3 copi\$4 transmission transmit\$4) near2 (data information file document))) and (input\$4 near2 ( value element random number integer) near2 (public private secret ((first) adj key)) with (private secret public ((second) adj key)) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/25 13:49
-	46	(medical near2 ( record document file )) with (protect\$3 control\$4 ) with (deliver\$3 transmission transmit\$4 send\$4 )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/25 14:13
-	152	((medical secur\$3) near2 ( record document file )) with (protect\$3 control\$4 ) with (deliver\$3 transmission transmit\$4 send\$4 )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/25 15:17
-	45	"5131039"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/26 10:30
-	25	plaintext same (length value ) same blocks and ((input\$4 enter\$4 using use generat\$3 select\$4) near2 ( value element random number integer) near2 (public private secret ((first second) adj key))) same (algorithm function)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/26 10:44
-	61	(plaintext file document record) same (length value ) same block and ((input\$4 enter\$4 using use generat\$3 select\$4) with ( value element random number integer) with (((public with (private secret)) or ((first adj key) with ( second adj key))))) same (algorithm function))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/26 11:55
-	7	( generat\$4 ) near2 (number random value integer ) with (input\$4 enter\$4 using use select\$4) near2 (number random value integer ) with (first adj key) with ( second adj key)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/26 12:03

-	27	( generat\$4 obtain\$4 select\$4 ) near2 (number random value integer element) with (input\$4 enter\$4 using use select\$4) near2 (number random value integer ) with (first adj key) with ( second adj key)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/26 12:10
-	20	(( generat\$4 obtain\$4 select\$4 ) near2 (number random value integer element) with (input\$4 enter\$4 using use select\$4) near2 (number random value integer ) with (first adj key) with ( second adj key) ) not (( generat\$4 ) near2 (number random value integer ) with (input\$4 enter\$4 using use select\$4) near2 (number random value integer ) with (first adj key) with ( second adj key) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/26 12:04
-	29	( generat\$4 obtain\$4 select\$4 deriv\$4 ) near2 (number random value integer element) with (input\$4 enter\$4 using use select\$4 deriv\$4 ) near2 (number random value integer ) with (first adj key) with ( second adj key)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/26 12:13
-	2	(( generat\$4 obtain\$4 select\$4 deriv\$4 ) near2 (number random value integer element) with (input\$4 enter\$4 using use select\$4 deriv\$4 ) near2 (number random value integer ) with (first adj key) with ( second adj key) ) not (( generat\$4 obtain\$4 select\$4) near2 (number random value integer element) with (input\$4 enter\$4 using use select\$4) near2 (number random value integer ) with (first adj key) with ( second adj key) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/26 12:12
-	1891	( generat\$4 obtain\$4 select\$4 deriv\$4 ) same (number random value integer element) same (input\$4 enter\$4 using use select\$4 deriv\$4 ) same (number random value integer ) with ((first adj key) (public)) with (( second adj key) or (private secret))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/26 12:14
-	28	(( generat\$4 obtain\$4 select\$4 deriv\$4 ) same (number random value integer element) same (input\$4 enter\$4 using use select\$4 deriv\$4 ) same (number random value integer ) with ((first adj key) (public)) with (( second adj key) or (private secret)) ) same (xor\$3 exclusive\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/26 12:15
-	18	(US-6289102-\$ or US-6347846-\$ or US-6370546-\$ or US-6418457-\$ or US-6523113-\$ or US-6591289-\$ or US-6590845-\$ or US-6011849-\$ or US-5131039-\$ or US-6535607-\$ or US-6351539-\$ or US-5799088-\$ or US-5734720-\$).did. or (US-20030115324-\$ or US-20030041244-\$ or US-20020124177-\$ or US-20020061105-\$).did. or (WO-249266-\$).did.	USPAT; US-PGPUB; EPO	2004/07/26 18:30
-	1	((US-6289102-\$ or US-6347846-\$ or US-6370546-\$ or US-6418457-\$ or US-6523113-\$ or US-6591289-\$ or US-6590845-\$ or US-6011849-\$ or US-5131039-\$ or US-6535607-\$ or US-6351539-\$ or US-5799088-\$ or US-5734720-\$).did. or (US-20030115324-\$ or US-20030041244-\$ or US-20020124177-\$ or US-20020061105-\$).did. or (WO-249266-\$).did.) and (output near algorithm)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/26 18:31

-	13	((US-6289102-\$ or US-6347846-\$ or US-6370546-\$ or US-6418457-\$ or US-6523113-\$ or US-6591289-\$ or US-6590845-\$ or US-6011849-\$ or US-5131039-\$ or US-6535607-\$ or US-6351539-\$ or US-5799088-\$ or US-5734720-\$).did. or (US-20030115324-\$ or US-20030041244-\$ or US-20020124177-\$ or US-20020061105-\$).did. or (WO-249266-\$).did.) and (output with algorithm)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/26 18:31
-	2	((US-6289102-\$ or US-6347846-\$ or US-6370546-\$ or US-6418457-\$ or US-6523113-\$ or US-6591289-\$ or US-6590845-\$ or US-6011849-\$ or US-5131039-\$ or US-6535607-\$ or US-6351539-\$ or US-5799088-\$ or US-5734720-\$).did. or (US-20030115324-\$ or US-20030041244-\$ or US-20020124177-\$ or US-20020061105-\$).did. or (WO-249266-\$).did.) and (output with algorithm)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/26 18:34
-	2796	output near algorithm	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/26 18:34
-	7	(output near algorithm) and key with (append\$3 attach\$3 embed\$4) with (file document record image)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/26 18:38
-	104	(output with algorithm) and ((key secret private (public adj key)) with (append\$3 attach\$3 embed\$4 integrat\$4) with (file document record image))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/26 18:39
-	6	(output with algorithm) and ((key secret private (public adj key)) with (append\$3 attach\$3 embed\$4 integrat\$4) with (file document record image)) and (decrypt\$4 with key with algorithm with (append\$3 attach\$3 embed\$4 integrat\$4 together))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/26 18:41
-	20	((allow\$4 permit\$4 capable) near2 (display\$4 view\$4 read\$4 )) same ((prevent\$3 restrict\$4 prohibit\$4 deny\$4 denial refus\$3 or (("not" "no") adj (allow\$3 permit\$4 permission)) ) near2 (send\$4 transmission transmit\$4) near2 (data information file document))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/26 19:01
-	24	((allow\$4 permit\$4 capable) near2 (display\$4 view\$4 read\$4 )) same ((prevent\$3 restrict\$4 prohibit\$4 deny\$4 denial inhibit\$4 refus\$3 or (("not" "no") adj (allow\$3 permit\$4 permission)) ) near2 (send\$4 transmission transmit\$4) near2 (data information file document))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/26 19:05
-	43	((allow\$4 permit\$4 capable) near2 (display\$4 view\$4 read\$4 )) same ((prevent\$3 restrict\$4 prohibit\$4 deny\$4 denial inhibit\$4 refus\$3 or (("not" "no") adj (allow\$3 permit\$4 permission)) ) near3 (send\$4 transmission transmit\$4) near2 (data information file document graphic image plaintext))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/26 19:08

-	19	((allow\$4 permit\$4 capable) near2 (display\$4 view\$4 read\$4 )) same ((prevent\$3 restrict\$4 prohibit\$4 deny\$4 denial inhibit\$4 refus\$3 or (("not" "no") adj ( allow\$3 permit\$4 permission)) ) near3 (send\$4 transmission transmit\$4) near2 (data information file document graphic image plaintext))) not ((allow\$4 permit\$4 capable) near2 (display\$4 view\$4 read\$4 )) same ((prevent\$3 restrict\$4 prohibit\$4 deny\$4 denial inhibit\$4 refus\$3 or (("not" "no") adj ( allow\$3 permit\$4 permission)) ) near2 (send\$4 transmission transmit\$4) near2 (data information file document)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/26 19:06
-	104	((allow\$4 permit\$4 capable) near2 (display\$4 view\$4 read\$4 )) same ((prevent\$3 restrict\$4 prohibit\$4 deny\$4 denial inhibit\$4 refus\$3 or (("not" "no") adj ( allow\$3 permit\$4 permission)) ) with (send\$4 transmission transmit\$4) near2 (data information file document graphic image plaintext)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/26 19:09
-	434	((allow\$4 permit\$4 capable) with(display\$4 view\$4 read\$4 )) same ((prevent\$3 restrict\$4 prohibit\$4 deny\$4 denial inhibit\$4 refus\$3 or (("not" "no") adj ( allow\$3 permit\$4 permission)) ) with (send\$4 transmission transmit\$4) near2 (data information file document graphic image plaintext)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/26 19:09
-	66	((allow\$4 permit\$4 capable) near2 (display\$4 view\$4 read\$4 )) same ((prevent\$3 restrict\$4 prohibit\$4 deny\$4 denial inhibit\$4 refus\$3 or (("not" "no") adj ( allow\$3 permit\$4 permission)) ) with (send\$4 transmission transmit\$4) near2 (data information file document graphic image plaintext))) not ((allow\$4 permit\$4 capable) near2 (display\$4 view\$4 read\$4 )) same ((prevent\$3 restrict\$4 prohibit\$4 deny\$4 denial inhibit\$4 refus\$3 or (("not" "no") adj ( allow\$3 permit\$4 permission)) ) near3 (send\$4 transmission transmit\$4) near2 (data information file document graphic image plaintext)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/26 19:09
-	2	((allow\$4 permit\$4 capable) near2 (display\$4 view\$4 read\$4 )) same ((prevent\$3 restrict\$4 prohibit\$4 deny\$4 denial inhibit\$4 refus\$3 or (("not" "no") adj ( allow\$3 permit\$4 permission)) ) with (send\$4 transmission transmit\$4) near2 (data information file document graphic image plaintext))) not ((allow\$4 permit\$4 capable) near2 (display\$4 view\$4 read\$4 )) same ((prevent\$3 restrict\$4 prohibit\$4 deny\$4 denial inhibit\$4 refus\$3 or (("not" "no") adj ( allow\$3 permit\$4 permission)) ) near3 (send\$4 transmission transmit\$4) near2 (data information file document graphic image plaintext))) and decrypt\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/26 19:10

-	32	((allow\$4 permit\$4 capable) with(display\$4 view\$4 read\$4 )) same ((prevent\$3 restrict\$4 prohibit\$4 deny\$4 denial inhibit\$4 refus\$3 or ("not" "no") adj ( allow\$3 permit\$4 permission)) ) with (send\$4 transmission transmit\$4) near2 (data information file document graphic image plaintext))) not (((allow\$4 permit\$4 capable) near2 (display\$4 view\$4 read\$4 )) same ((prevent\$3 restrict\$4 prohibit\$4 deny\$4 denial inhibit\$4 refus\$3 or ("not" "no") adj ( allow\$3 permit\$4 permission)) ) near3 (send\$4 transmission transmit\$4) near2 (data information file document graphic image plaintext))) and decrypt\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/26 19:28
-	2	5799088.pn. and (provid\$4 send\$4 transmit\$5 transmission receiv\$4) with private	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/26 20:48
-	67	"5809145"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/26 20:50
-	2	5809145.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/26 20:50